

**To:** Marilyn Smith[m.smith@erllc.com]; Sandoval, Joni[Sandoval.Joni@epa.gov]  
**From:** Braun, Richard  
**Sent:** Mon 8/10/2015 2:28:00 PM  
**Subject:** RE: Gold King - 2

Thank you.

Richard Braun

EPA Region 8

Contracting Officer

303-312-6380

braun.richard@epa.gov

**From:** Marilyn Smith [mailto:m.smith@erllc.com]  
**Sent:** Monday, August 10, 2015 8:19 AM  
**To:** Sandoval, Joni; Braun, Richard  
**Subject:** RE: Gold King - 2

**From:** Marilyn Smith  
**Sent:** Thursday, August 6, 2015 10:05 PM  
**To:** Sandoval, Joni ([Sandoval.Joni@epa.gov](mailto:Sandoval.Joni@epa.gov)) <[Sandoval.Joni@epa.gov](mailto:Sandoval.Joni@epa.gov)>; Braun, Richard ([Braun.Richard@epa.gov](mailto:Braun.Richard@epa.gov)) <[Braun.Richard@epa.gov](mailto:Braun.Richard@epa.gov)>  
**Subject:** FW: Gold King - 2

The 'draft' work plan that was sent earlier is the only version that we have. If a response was given it was not received.

**From:** Sandoval, Joni [mailto:[Sandoval.Joni@epa.gov](mailto:Sandoval.Joni@epa.gov)]

**Sent:** Thursday, August 06, 2015 5:09 PM  
**To:** Marilyn Smith <m.smith@erllc.com>  
**Cc:** Braun, Richard <Braun.Richard@epa.gov>  
**Subject:** FW: GK Draft Work Plan

I'm sorry, the list keeps growing. I now need ASAP:

- Final workplan
- 1900-55s
- HASP
- Any sub work plans or engineering specs

Approved copies are preferred if possible. Thank you in advance.

Confidentiality Warning: This e-mail and any attachments contain information intended only for the use of the individual or entity named above. If the reader of this e-mail is not the intended recipient or the employee or agent responsible for delivering it to the intended recipient, any dissemination, publication or copying of this e-mail is strictly prohibited. Although this email has been scanned for malware, the sender does not accept any responsibility for any loss, disruption or damage to your data or computer system that may occur while using data contained in, or transmitted with, this e-mail. If you have received this e-mail in error, please immediately notify by return e-mail. Thank you.